

# SNOWFLAKE P.E.®

SNOWFLAKE P.E.® is a medium/fine particle size, wet ground marble with a broad particle size distribution. SNOWFLAKE P.E. was designed to give low initial viscosity at high loadings in unsaturated polyester systems, where it finds a wide range of applications.

## APPLICATIONS

- Transfer Molding
- Wet Molding
- SMC, BMC, TMC, DMC, XMC
- Pultrusions
- Spray-Up

## TYPICAL PROPERTIES

Source	Sylacauga, AL
Brightness (HunterY)	95
CaCO <sub>3</sub> (wt.%)	95
Acid Insolubles (wt.%)	1
Moisture (wt.%)	0.12
Plus 325 (Mesh %)	0.1
Median Particle Size (microns)	5.5
Hardness (Mohs)	3
Refractive Index, mean	1.6
Specific Gravity	2.7
Solid Density (lb/gal)	22.7
Bulk Density: (lb/ft)	
- Loose	60
- Packed	90

**ISO9001**  
CERTIFIED



DAT001FGCC  
August 2013  
©IMERY'S 2013  
Seventh Edition  
All products are registered  
trademarks of IMERY'S

CAS No. 1317-65-3

IMERY'S  
100 Mansell Court East  
Suite 300  
Roswell, GA 30076

General:  
Tel: (770) 594.0660  
Fax: (770) 645.3384  
[www.imerys-perfmins.com](http://www.imerys-perfmins.com)

Customer Service:  
Tel: (888) 277.9636  
Fax: (770) 645.3631

IMERY'S is a business name of  
IMERY'S Pigments, Inc.,  
IMERY'S Kaolin, Inc. and  
IMERY'S Marble, Inc.  
Registered in the USA.

This information is  
believed to be correct.  
However, this information  
does not constitute any  
representation, condition or  
warranty, nor do  
we guarantee results  
to be obtained. All  
recommendations and  
sales are made on the condition  
that we will not be held liable for  
any damages resulting from their  
use. This provision may  
not be changed by any  
of our representatives.

